UNCLASSIFIED

AD 263 599

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

2 635 99

61-4-5 XERUX NOw 61-0161-c (FBM) TASKS 1 & 2

JULY, 1961 DM61-252

Fabrication of Pyrolytic

Graphite Rocket

Nozzle Components

BUREAU OF WEAPONS

OCT 5 196W

APPLIED RESEARCH OPERATION

FLIGHT PROPULSION LABORATORY DEPARTMENT

GENERAL ELECTRIC

FABRICATION OF PYROLYTIC GRAPHITE ROCKET NOZZLE COMPONENTS

Progress Report for July 1961

Project Engineer

R. E. Viventi

Rocket Nozzle Materials Unit Metallurgical Engineering ARO, FPLD, Building 200

Project Manager

G. S. Hoppin III, Manager Rocket Nozzle Materials Unit

Metallurgical Engineering
Applied Research Operation
Flight Propulsion Laboratory Department

DISTRIBUTION

Director, Special Projects
Department of the Navy
Attn: Sp-20 (4 copies)
Sp-271 (3 copies)
Sp-27011 (2 copies)

Aerojet-General Corporation

P. O. Box 1168

Sacramento, California
Attn: Dr. W. O. Wetmore (6 copies)
Dr. D. A. Stuart (2 copies)
LMSD, POLARIS
Missile System
Resident Rep.

Via: Bureau of Naval Weapons Resident Rep.
Aerojet-General Corporation
P. O. Box 1947
Sacramento, California
Attn: Cdr. T. J. Christman (1 copy)

Applied Physics Laboratory
Johns Hopkins University
8645 Georgia Avenue
Silver Spring, Maryland (3 copies)
Via: Bureau of Naval Weapons Rep.
APL/JHU
8621 Georgia Avenue
Silver Spring, Maryland

Allegheny Ballistics Laboratory
Hercules Powder Company
Cumberland, Maryland
Attn: Dr. N. F. LeBlanc (2 copies)
Dr. R. Steinberger (1 copy)
Via: Resident Inspector of Naval Material
Allegheny Ballistics Laboratory
Cumberland, Maryland

U. S. Department of Commerce
National Bureau of Standards
Washington 25, D. C.
Attn: Dr. A. Brenner
Chemistry Division (1 copy)

Thickol Chemical Corporation
Utah Division
Brigham City, Utah
Attn: Mr. Earl Gray

Office of Naval Research
U. S. Navy Department
Washington 25, D. C.
Attn: J. J. Harwood,
Metallurgy Branch
Code 423 (1 copy)

Lockheed Missiles & Space Div.

1122 Jagels Road

Sunnydale, California

Attn: E. Luken (2 copies)

W. Kozumplik (1 copy)

Via: Bureau of Naval Weapons
P. O. Box 504

Sunnydale, California

Attn: Cdr. P. S. McManus (1 copy)

National Academy of Science Materials Advisory Board 2101 Constitution Ave., N. W. Washington 25, D. C. Attn: Panel on Rocket Nozzle Materials (2 copies)

Atlantic Research Corporation
Alexandria, Virginia
Attn: E. Olcott (1 copy)
Via: Bureau of Naval Weapons Rep.
APL/JHU
8621 Georgia Avenue
Silver Spring, Maryland

Commander
U. S. Naval Ordnance Laboratory
White Oak, Silver Spring, Maryland
Attn: T. O. Anderson (1 copy)
Library (1 copy)

General Electric Company
Flight Propulsion Laboratory Dept,
Applied Research Operation
Cincinnati 15, Ohio
Attn: W. F. Zimmerman (1 copy)
Dr. A. A. Watts (1 copy)
Via: Air Force Plant Rep.
General Electric Company
Evendale, Cincinnati, Ohio

National Aeronautics & Space Administration 1512 H Street, N. W.

Washington 25, D. C.
Attn: Chief, Division of Research
Information (2 copies)

Commander

Wright Air Development Center Wright-Patterson Air Force Base, Chio

Attn: WCLTRSS (1 copy)

WCLTES (H. Zoeller) (1 copy)

WCLTECB (1 copy)

Mr. I. Perlmutter, Chief Physical Metallurgy Branch

Materials Central (WCLT) (1 copy)

Commander

Armed Services Technical Information Agency Arlington Hall Station Arlington 12, Virginia Attn: TIPCR (10 copies)

Department of the Army Office, Chief of Ordnance Washington 25, D. C. Attn: ORDTB (1 copy)

Commander

Army Rocket & Guided Missile Agency Redstone Arsenal, Alabama Attn: Technical Library ORDXR-OTL (2 copies)

Commander

U. S. Naval Air Missile Test Center Point Mugu, California Attn: Technical Library (1 copy)

Solar Aircraft Company
2200 Pacific Highway
San Diego 12, California
Attn: Library (Fred West)
Via: Bureau of Naval Weapons Repre

Via: Bureau of Naval Weapons Representative San Diego 12, California (1 copy)

Commander

U. S. Naval Ordnance Test Station China Lake, California

Attn: Technical Library Branch (2 copies)

Jet Propulsion Laboratory
4800 Oak Grove Drive
Pasadena 3, California
Attn: I. E. Newland
Chief, Reports Group (1 copy)
Via: Inspector of Naval Material
929 South Broadway

Los Angeles, California

Commander

Air Force Ballistic Missile Div.
Hq. Air Res. & Dev. Command
P. O. Box 262
Inglewood, California
Attn: WDSOT (1 copy)

Commanding General
Aberdeen Proving Ground, Maryland
Attn: Ballistic Research Laboratories
ORDBG-BLI (1 copy)

Commanding Officer
Picatinny Arsenal
Dover, New Jersey
Attn: Library (1 copy)

Commander

Army Ballistic Missile Agency Redstone Arsenal, Alabama Attn: ORDAB-HSI (1 copy)

Department of the Navy
Bureau of Naval Weapons
Washington 25, D. C.
Attn: RRMA (3 copies)
RMMP (2 copies)
DLI-3 (1 copy)

Commanding Officer
U. S. Naval Propellant Plant
Indian Head, Maryland
Attn: Research & Development Dept.
(1 copy)

Goodyear Aircraft Corporation Technical Files, Engng. Library Dept. 227, Plant G Akron 15, Ohio Attn: Mrs. Grace S. Dettling

Armour Research Foundation of the Illinois Institute of Technology Technology Center

Attn: Fluid Dynamics and Propulsion Research

Via: Inspector of Naval Material 608 South Dearborn Street Chicago 5, Illinois

Thickol Chemical Corporation
Redstone Division
Huntsville, Alabama
Attn: Technical Library (2 copies)
Via: Commanding General
Army Ordnance Missile Command
Redstone Arsenal

Thickel Chemical Corporation
Elkton Division
Elkton, Maryland
Attn: Librarian (1 copy)
Via: Inspector of Naval Material
401 Water Street
Baltimore 2, Maryland

Huntsville, Alabama

National Carbon Company
Div. of Union Carbide Corp.
Research Laboratory
12900 Snow Rd. P.O. Box 6116
Parma, Ohio Cleveland, Ohio
Attn: Library Miss M.S. Wright
Via: WADD-WWRCMC (Capt. R.H. Wilson)
Wright Patterson AFB, Ohio (1 copy)

Grand Central Rocket Company
P. O. Box 111
Redlands, California
AttH: Helen Ashman, Librarian (1 copy)
Via: Inspector of Naval Material
929 South Broadway
Los Angeles 15, California

Bacchus Works
Magna, Utah
Attn: Librarian (1 copy)
Via: Branch Offices
Inspector of Naval Material
Salt Lake City, Utah

Hercules Powder Company

Ingersoll-Kalamazoo Division
Borg-Warner Corporation
1810 North Pitcher Street
Kalamazoo, Michigan
Attn: J. W. Schiffel, Chief Engineer
Special Projects Dept. (1copy)
Via: Inspector of Naval Material

310 East Jefferson Avenue"

Detroit 25, Michigan

American Machine & Foundry Co.

Mechanics Research Department
1104 South Wabash Avenue

Chicago 5, Illinois
Attn: A. D. Kafadar (1 copy)
Via: Inspector of Naval Material
608 South Dearborn Street
Chicago 5, Illinois

Thickel Chemical Corporation
Utah Division
Brigham City, Utah
Attn: James Bryson (1 copy
Technical Director (1 copy)
Via: Branch Offices
Inspector of Naval Material
Salt Lake City, Utah

Cleveland Pneumatic Industries
1001 Connecticut Ave., N. W.
Washington, D. C.
Attn: N. Whitbeck (1 copy)
Via: Bureau of Naval Weapons Rep.
Department of the Navy
Washington 25, D. C.

Sylvania Electric Products Inc.
Chemical and Metallurgical Division
Division Headquarters
Towanda, Pennsylvania
Via: Inspector of Naval Materials
10 North 8th Street
Reading, Pennsylvania (1 copy)

AVCO Manufacturing Corporation
Research & Advanced Development Co.
201 Lowell Street, Wilmington, Mass.
Attn: Dr. E. Scala (1 copy)
493 Summer Street
Boston 10, Mass.

Defense Metals Information Center
Battelle Memorial Institute
505 King Avenue
Columbus 1, Ohio (1 copy)
Via: Office of Naval Research
Resident Representative
Ohio State University Center
1314 Kinnear Road
Columbus 8, Ohio

Carborundum Company
Research & Development Division
Niagara Falls, New York
Attn: C. E. Schulze (1 copy)
Via: Inspector of Naval Material
Buffalo District
740 Main Street
Buffalo 2, New York

Clevite Research Center
Clevite Corporation
Cleveland, Ohio (1 copy)
Via: Inspector of Naval Material
Ferguson Building
1783 East 11th Street
Cleveland 14, Ohio

Cornell Aeronautical Laboratory
Buffalo, New York (1 copy)
Via: Inspector of Naval Material
Buffalo District
740 Main Street
Buffalo 2, New York

John I. Thompson & Company
1118 22nd Street, N. W.
Washington 7, D. C.
Attn: Carl Rosey (1 copy)
Via: Bureau of Naval Weapons Rep.
Department of the Navy
Washington 25, D. C.

National Research Corporation
70 Memorial Drive
Cambridge 42, Massachusetts
Attn: Mr. L. Torti (1 copy)
Via: Inspector of Naval Material
493 Summer Street
Boston, 10, Massachusetts

Raytheon Manufacturing Company
Waltham 54, Massachusetts
Attn: Dr. S. Blom (1 copy)
Via: Assistant of Navel Material
c/o Raytheon Mfg. Co.
Waltham, Mass.

Stanford Research Institute
Menlo Park, California
Attn: Mr. O. Preston (1 copy)
Via: Air Research and Dev. Center
6331 Hollywood Blvd. (Reg. Office)
Los Angeles 28, California

Westinghouse Electric Corporation
Materials Manufacturing Department
Blairsville, Pennsylvania
Attn: James Q. A. McLure (1 copy)
Via: Inspector of Naval Material
Old Post Office Building
Pittsburgh 19, Penna.

High Temperature Materials, Inc. 31 Antwerp Street Brighton, Massachusetts (1 copy) Via: Inspector of Naval Material 495 Summer Street Boston 10, Massachusetts

National Beryllia Corporation
1st and Haskell Avenue
Haskell, New Jersey (1 copy)
Via: Inspector of Naval Material
Naval Industrial Reserve Shipyard
Bldg. 13 Port Newark
Newark 5, New Jersey

Climax Molybdenum Company
500 Fifth Avenue
New York, N. Y.
Attn: Mr. R. R. Freeman (1 copy)
Via: Inspector of Naval Material
207 West 24th Street
New York 11, New York

Director
U.S. Naval Research Laboratory
Washington 25, D. C.
Attn: Mr. Joseph Kies (1 copy)

United States Rubber Company
Providence, Rhode Island
Attn: Dr. E. J. Joss (1 copy)
Via: Inspector of Naval Material
Syracuse, New York

B. F. Goodrich Aviation Products
500 South Main Street
Akron, Ohio (1 copy)
Via: Bureau of Naval Weapons Rep.
Akron, Ohio

Thompson-Ramo-Wooldridge, Inc.
23555 Euclid Avenue
Cleveland 17, Ohio
Attn: Library (1 copy)
Via: Inspector of Naval Material

Ferguson Building
1783 East 11th Street
Cleveland 14, Ohio

Commanding Officer
Watertown Arsenal
Watertown 72, Massachusetts
Attn: C. E. Hartbower (1 copy)
Technical Information Sec.
(1 copy)

Goodyear Aircraft Corporation
Akron 15, Ohio (1 copy)
Via: Bureau of Naval Weapons Rep.
Akron, Ohio
Battelle Memorial Institute
505 King Avenue
Columbus 1, Ohio (1 copy)
Via: Office of Naval Research
Resident Representative
1314 Kinnear Road
Columbus 8, Ohio

Thompson-Ramo-Wooldridge Inc.
Colt Road Works
Cleveland 8, Ohio
Attn: Donald P. Cryer

Dr. Dallas Hurd/J. W. Pugh/
L. T. Farenthold
G.E. Lamp Metals & Components Dept.
Cleveland, Ohio

Applied Physics Laboratory
The Johns Hopkins University
8621 Georgia Avenue
Silver Spring, Maryland
Attn: Dr. R. B. Kershner (1 copy)
Via: Bureau of Naval Weapons Rep.
APL/JHU
8621 Georgia Avenue
Silver Spring, Maryland

Dr. Dwight F. Gunder
463 West Fifth Street
Loveland, Colorado (1 copy)
Via: Inspector of Naval Material
4100 Forest Park Boulevard
St. Louis 8, Missouri

Department of the Interior Bureau of Mines Branch of Ferrous Metals Washington 25, D. C. Attn: R. W. Holliday (1 copy)

Department of the Interior
Bureau of Mines
Director of Research
Rolla Metallurgy Research Center
Rolla, Missouri
Attn: J. H. Rolland (1 copy)

Department of the Interior Bureau of Mines Director of Research Albany Metallurgy Research Center Albany, Oregon Attn: A. H. Robertson (1 copy)

Department of the Interior Bureau of Mines Director of Research Reno Metallurgy Research Center Reno, Nevada Attn: T. R. Graham (1 copy)

Technical Information Library Hanford Laboratory Department General Electric Company Hanford, Washington Commanding Officer
Air Force Flight Test Center
Edwards AF Base, California
Attn: FTRDS (1 copy)

,

9

•

vii

GENERAL ELECTRIC DISTRIBUTION

- Dr. M. L. Bromberg, Applied Research Operation, Building 300
- S. Foldes, Metallurgical Engineering, ARO, Building 200
- G. S. Hoppin, Metallurgical Engineering, ARO, Building 200
- L. P. Jahnke/ A. J. Wilson, Metallurgical Engineering, ARO, Building 200
- J. Caciotti, Chemical Engineering, ARO, Building 200
- E. D. Sayre, Chemical Engineering, ARO, Building 200
- J. J. Brady, Technical Information Center, Building 100
- R. W. Hess, Marketing Contracts, FPLD, Building 100
- R. E. Viventi, Metallurgical Engineering, ARO, Building 200
- Dr. W. H. Smith, Metallurgical Products Department, Detroit
- J. W. Graham, Chemical Engineering, ARO, Building 200

Ç.

- Dr. P. Gorsuch, MSVD Space Science Laboratory, Philadelphia
- Dr. E. Stover, General Electric Research Laboratory, Schenectady
- D. J. Shipp, Metallurgical Engineering, ARO, Building 200

ABSTRACT

Progress made in the manufacture of pyrolytic graphite nozzle inserts under Tasks 1 and 2 of contract NOw 61-0161-c (FBM) is described in the monthly report for July.

Residual stresses in the subscale inserts remain a problem due to the thickness to radius of curvature ratios. Chances of completing these inserts successfully without cracks are still quite low. Emphasis therefore will be placed on completing full scale components under the remaining funds in the contract.

INTRODUCTION

During the month of July, 1961 development efforts were performed by the General Electric Company on tasks 1 and 2 under contract NOw 61-0161-c (FRM). Task 1 involves the fabrication of sub-scale coated and "free standing" pyrolytic graphite test nozzle inserts. Task 2 involves the fabrication of full scale coated and "free standing" pyrolytic graphite Polaris A-3 components. The pieces to be fabricated on these two tasks are as follows:

Task 1:

- Phase A: Six (6) inserts of three different throat diameters half to be .075" pyrolytic graphite on ATJ graphite and the others to be .100" pyrolytic graphite on ATJ graphite (ABL).
- Phase B: Four (4) inserts of .075" pyrolytic graphite utilizing a "free standing" design with various backup materials for low pressure firings (ABL).
- Phase C: Five (5) inserts of .075" pyrolytic graphite utilizing a "free standing" design backed with the best of various materials evaluated in Phase B for high pressure firings (ABL).
- Phase D: Two (2) inserts of .075" pyrolytic graphite. The first inserts to be pyrolytic graphite on ATJ graphite. After the test firing the second to be made according to test results. (ARC)
- Phase E: Five (5) inserts of .060" pyrolytic graphite on ATJ graphite (ARC).
- Phase F: Three (3) inserts of pyrolytic graphite on ATJ graphite with various throat diameters (ARC).

Task 2:

- Phase A: Two (2) second stage full scale symmetrical Polaris A3 throat inserts, one with .100" "free standing" pyrolytic graphite backed with ATJ graphite, the other with .200" "free standing" pyrolytic graphite backed with ATJ graphite (AGC).
- Phase B: Six (6) pyrolytic graphite on ATJ graphite second stage Polaris A3 throat inserts (AGC).
- Phase C: Six (6) second stage full scale Polaris A3 throat inserts of .080" .100" pyrolytic graphite. The first two to be pyrolytic graphite on ATJ graphite (semi-egg style design). The next two to be "free standing" design with suitable backup. The remaining two to be made according to test results (ABL).
- Phase D: Six (6) pyrolytic graphite on ATJ graphite flame shields for second stage Polaris A3 throat inserts (ABL).

SUMMARY

Three furnace runs were made during the month of July. One of the parts, an ARC sub-scale insert is in final inspection and will be shipped the first week in August.

Redirection was received from Aerojet General Corporation stopping work on the asymmetrical version of the A3 Polaris first stage nozzle inserts. A new drawing was received during the month calling out a .200" "free standing" liner thickness with split graphite backup for second stage application. Discussions with AGC resulted in an agreement to modify the forward wrap-around portion of the liner and to fabricate one each of two thicknesses - .100" and .200". A drawing with these changes has been sent to AGC for approval.

DESCRIPTION OF TASK I PROGRESS

ABL

One run was made in an attempt to fabricate a "free standing" sub-scale liner. This part was unfortunately cracked in disassembly. The second attempt at fabricating a "free standing" liner backed with a MgO interface and castable graphite (modified C-6) is still progressing and should be completed early in August.

ARC

The liner thickness on the ARC sub-scale inserts still appears to be marginal. Of the last two fabricated during July one was found to be cracked in much the same manner as previous nozzles while the other is sound and crack-free. This nozzle insert has been through all machining operations and final inspections and should be delivered to ARC during the first week in August.

Because of the complexity of the design of the "IRIS" inserts the possibility of producing one intact is very low. This design has been given a low priority in the deposition schedule to allow greater effort to be placed on fabricating full scale Polaris components.

TASK I STATUS

| STATUS | Three inserts of .075" pyrolytic graphite have been shipped. Three of .100" type to be fabricated. | One liner backed with castable epoxy and shipped. One liner in process to be backed with MgO and modified C.6 | Undefined. | Cracking problem in exit | One part ready for shipment. | Undefined. |
|-------------------------------|--|---|---|--|--|---|
| CONTRACTED COMPLETION DATE | | <u> </u> | April 11, 1961 | | | γ April 25, 1961 |
| PART DESCRIPTION | Six pyrolytic graphite on ATJ sub- scale inserts (ABL) | Four "free standing" pyrolytic graphite sub-scale inserts (ABL) | Five "free standing" pyrolytic graphite sub-scale inserts - based on results of Phase B (ABL) | Two pyrolytic graphite on ATJ "IRIS" inserts (ARC) | Five pyrolytic graphite on ATJ sub-scale inserts (ARC) | Three pyrolytic graphite on ATJ sub-scale inserts (ARC) |
| PHASE | ₹ , | Σ C | ပ | Q | च | [IL |

DESCRIPTION OF TASK II PROGRESS

ABL

Another attempt was made to fabricate a "free standing" Polaris A3 second stage liner with a modification in the deposition mandrel in an attempt to eliminate an anticipated machining problem. The small radius at the forward wrap around portion led to a circumferential crack in that area resulting in a scrapped part. It appears that this design should be modified if any reliability in manufacturing is going to be obtained.

The furnace run originally scheduled for July to make one of the new design throat liners was delayed and should be made next month.

AGC

No further work on the A3 asymmetrical "free standing" liners is being done due to the redirection from Aerojet General Corporation. New drawings were received from AGC calling for a .200" "free standing" liner backed with split graphite. The thickness to radius ratio at the wrap around section with the .200" pyrolytic graphite thickness undoubtedly would lead to excessive residual stresses in that area based on past experience. It was therefore decided to modify the design to allow a thickness of .100" pyrolytic graphite and a much less severe radius. Drawings including these modifications have been made and sent

to AGC for their concurrence. Upon receipt of their acceptance of this modified design, furnace components will be fabricated and a trial run attempted.

TASK II STATUS

| STATUS | Awaiting acceptance of design by AGC. | Complete. | Two inserts of pyrolytic graphite on ATJ graphite (semiegg style) have been produced. One has been shipped to the customer and the other is being held, disposition to be determined after test firing of the first. | One flame shield has been shipped. Delivery of the remainder will coincide with delivery of the Phase C inserts. |
|----------------------------|--|--|--|--|
| CONTRACTED COMPLETION DATE | (No Date) | January 9, 1961 | | February 24, 1961 |
| PART DESCRIPTION | Two second stage Polaris A3 "free standing" symmetrical pyrolytic graphite inserts (AGC) | Six second stage Polaris A3 pyro- lytic graphite on ATJ inserts (AGC) | Six second stage Polaris A3 pyro- lytic graphite inserts (ABL) | Four pyrolytic graphite on ATJ flame shields for second stage Polaris A3 (ABL) |
| PHASE | A | В | ပ | Q |

UNCLASSIFIED

UNCLASSIFIED